

TEXTILE EIGENSCHAFTEN

Propriétés des toiles / Proprietà del tessuto / Textile properties

No.																g tot
1-8018	Acryl 100% PAN	6	290	120	0	◆	> 7	370	UV 40	109	24,8	9,6	64,8	25,6	0,19	
1-8019	Acryl 100% PAN	6	290	120	0	◆	> 7	370	UV 40	109	23,8	11,2	63,8	25,0	0,19	
1-8021	Acryl 100% PAN	38	290	120	0	◆	> 7	370	UV 30	123	25,2	11,1	63,6	25,3	0,19	
1-8022	Acryl 100% PAN	7	290	120	0	◆	> 7	370	UV 40	115	12,2	39,5	47,3	13,2	0,11	
1-8023	Acryl 100% PAN	7	290	120	0	◆	> 7	370	UV 40	115	18,6	21,5	58,4	20,1	0,15	
1-8024	Acryl 100% PAN	8	290	120	0	◆	> 7	370	UV 80	115	15,2	28,4	54,4	17,2	0,13	
1-8025	Acryl 100% PAN	22	290	120	0	◆	> 7	370	UV 80	115	4,5	63,3	32,1	4,6	0,05	
1-8026	Acryl 100% PAN	22	290	120	0	◆	> 7	370	UV 80	115	21,4	65,1	31,7	3,2	0,04	
1-8027	Acryl 100% PAN	23	290	120	0	◆	> 7	370	UV 80	115	5,0	57,0	36,1	6,9	0,07	
1-8028	Acryl 100% PAN	23	290	120	0	◆	> 7	370	UV 80	124	0,0	89,4	10,5	0,1	0,03	
1-8029	Acryl 100% PAN	24	290	120	0	◆	> 7	370	UV 80	108	0,2	89,8	9,8	0,4	0,03	
1-8030	Acryl 100% PAN	24	290	120	0	◆	> 7	370	UV 80	124	0,2	92,9	6,9	0,2	0,08	
1-8031	Acryl 100% PAN	25	290	120	0	◆	> 7	370	UV 80	108	0,0	97,9	2,1	0,0	0,03	
1-8033	Acryl 100% PAN	38	290	120	0	◆	> 7	370	UV 80	125	0,1	56,1	34,6	9,3	0,10	
1-8035	Acryl 100% PAN	39	290	120	0	◆	> 7	370	UV 80	128	7,0	33,2	49,8	17,0	0,13	
1-8042	Acryl 100% PAN	39	290	120	0	◆	> 7	370	UV 80	123	15,2	25,6	55,4	19,0	0,15	
1-8045	Acryl 100% PAN	8	290	120	0	◆	> 7	370	UV 60	115	17,7	23,0	56,7	20,3	0,15	
1-8046	Acryl 100% PAN	40	290	120	0	◆	> 7	370	UV 60	109	17,8	18,3	59,7	22,0	0,17	
1-8052	Acryl 100% PAN	50	290	120	0	◆	> 7	370	UV 60	123	21,6	15,7	61,1	23,2	0,18	
1-8055	Acryl 100% PAN	50	290	120	0	◆	> 7	370	UV 40	123	24,6	23,3	55,9	20,8	0,18	
1-8058	Acryl 100% PAN	58	290	120	0	◆	> 7	370	UV 80	107	8,7	34,2	48,7	17,1	0,14	
1-8064	Acryl 100% PAN	58	290	120	0	◆	> 7	370	UV 80	126	3,2	60,0	33,2	6,8	0,07	
1-8066	Acryl 100% PAN	59	290	120	0	◆	> 7	370	UV 80	105	1,6	42,7	43,3	14,0	0,12	
1-8082	Acryl 100% PAN	68	290	120	0	◆	> 7	370	UV 80	120	0,0	91,7	8,2	0,1	0,03	
1-8092	Lumera 100% PAN	9	290	120	24	◆	> 7	460	UV 40	109	-	-	-	-	-	
1-8095	Acryl 100% PAN	9	290	120	30	◆	> 7	370	UPF 25	115	25,3	14,9	59,7	25,4	0,18	
1-8096	Acryl 100% PAN	10	290	120	20	◆	> 7	370	UPF 15	115	26,2	12,1	61,6	26,3	0,18	
1-8097	Acryl 100% PAN	25	290	120	0,3	◆	> 7	370	UV 80	124	-	-	-	-	-	
1-8098	Lumera 100% PAN	26	290	120	24	◆	> 7	370	UV 80	124	-	-	-	-	-	
1-8099	Lumera 100% PAN	26	290	120	24	◆	> 7	370	UV 80	124	-	-	-	-	-	
1-8100	Acryl 100% PAN	27	290	120	0,3	◆	> 7	370	UV 80	124	-	-	-	-	-	
1-8101	Acryl 100% PAN	27	290	120	30	◆	> 7	370	UV 80	125	-	-	-	-	-	
1-8102	Acryl 100% PAN	10	290	120	0,3	◆	> 7	370	UV 80	125	-	-	-	-	-	

Acryl= français - Acrylique / italiano - Acrilico / english - Acrylic

TEXTILE EIGENSCHAFTEN

Propriétés des toiles | Proprietà del tessuto | Textile properties

No.																g tot
1-8104	Acryl 100% PAN	11	290	120	20	◆	7-8	370	UV 95	115	20,0	24,1	55,2	20,7	0,15	
1-8105	Lumera 100% PAN	40	290	120	24	◆	> 7	460	UV 60	102	-	-	-	-	-	
1-8109	Acryl 100% PAN	41	290	120	20	◆	7-8	370	UV 95	103	18,4	31,7	49,4	18,9	0,14	
1-8110	Lumera 100% PAN	41	290	120	24	◆	> 7	460	UV 80	128	-	-	-	-	-	
1-8111	Acryl 100% PAN	42	290	120	0,3	◆	> 7	370	UV 60	103	-	-	-	-	-	
1-8121	Lumera 100% PAN	42	290	120	24	◆	> 7	460	UV 80	101	-	-	-	-	-	
1-8123	Lumera 100% PAN	51	290	120	24	◆	> 7	460	UV 80	107	-	-	-	-	-	
1-8125	Acryl 100% PAN	51	290	120	20	◆	7-8	370	UV 95	107	24,4	15,7	59,4	24,9	0,17	
1-8127	Acryl 100% PAN	52	290	120	0,3	◆	> 7	370	UV 60	107	-	-	-	-	-	
1-8130	Acryl 100% PAN	52	300	120	20	◆	7-8	>300	UPF 50+	115	18,0	26,1	53,7	20,2	0,16	
1-8133	Lumera 100% PAN	59	290	120	24	◆	> 7	460	UV 80	107	-	-	-	-	-	
1-8134	Acryl 100% PAN	60	290	120	30	◆	> 7	370	UV 80	126	-	-	-	-	-	
1-8136	Acryl 100% PAN	60	300	120	30	◆	7-8	>300	UPF 50+	102	7,1	54,8	36,1	9,1	0,11	
1-8137	Lumera 100% PAN	61	290	120	24	◆	> 7	460	UV 80	126	-	-	-	-	-	
1-8138	Acryl 100% PAN	61	290	120	20	◆	7-8	370	UV 95	126	17,9	29,3	50,6	20,1	0,15	
1-8149	Acryl 100% PAN	68	300	120	30	◆	7-8	>300	UPF 25	120	15,8	39,4	44,3	16,3	0,14	
1-8150	Acryl 100% PAN	69	290	120	0,3	◆	> 7	370	UV 80	120	-	-	-	-	-	
1-8151	Acryl 100% PAN	69	290	120	30	◆	> 7	370	UV 80	124	-	-	-	-	-	
1-8152	Acryl 100% PAN	70	290	120	20	◆	7-8	370	UV 95	120	18,0	39,7	42,7	17,6	0,14	
1-8155	Acryl 100% PAN	70	290	120	0,3	◆	> 7	370	UV 80	121	-	-	-	-	-	
1-8156	Acryl 100% PAN	71	290	120	30	◆	> 7	370	UV 80	124	-	-	-	-	-	
1-8157	Acryl 100% PAN	71	290	120	20	◆	7-8	370	UV 95	121	18,0	39,1	43,3	17,6	0,14	
1-8164	Acryl 100% PAN	11	290	120	24	◆	7	370	UV 80	115	-	-	-	-	-	
1-8216	Lumera 100% PAN	12	290	120	0	◆	7	460	UV 40	109	26,4	7,3	65,0	27,7	0,21	
1-8217	Lumera 100% PAN	12	290	120	0	◆	7	460	UV 80	109	12,3	35,2	50,8	14,0	0,11	
1-8218	Lumera 100% PAN	13	290	120	2	◆	7	460	UV 80	125	-	-	-	-	-	
2-8219	Lumera 3D 100% PAN	13	295	120	30	◆	7	500	UV 80	125	-	-	-	-	-	
1-8226	Lumera 100% PAN	14	290	120	0	◆	7	460	UV 60	125	2,8	63,9	31,8	4,3	0,05	
2-8227	Acryl 100% PAN	14	305	120	0	◆	7-8	350	UPF 20	109	24,8	16,3	58,8	24,9	0,18	
2-8228	Lumera 3D 100% PAN	15	295	120	30	◆	7	500	UV 60	109	-	-	-	-	-	
1-8229	Lumera 100% PAN	15	290	120	24	◆	7	460	UV 80	115	-	-	-	-	-	
1-8231	Lumera 100% PAN	16	290	120	0	◆	7	460	UV 80	125	7,0	48,9	42,4	8,7	0,08	
1-8232	Acryl 100% PAN	16	290	120	20	◆	7-8	370	UV 90	115	10,7	45,6	43,4	11,0	0,11	

Acryl= français - Acrylique | italiano - Acrilico | english - Acrylic

TEXTILE EIGENSCHAFTEN

Propriétés des toiles / Proprietà del tessuto / Textile properties

No.															g tot
1-8235	Acryl 100% PAN	17	290	120	6	◆	7	370	UV 80	115	-	-	-	-	-
1-8236	Acryl 100% PAN	17	290	120	0	◆	7	370	UV 80	125	8,6	36,9	47,2	15,9	0,13
1-8238	Lumera 100% PAN	28	290	120	24	◆	7	460	UV 80	124	-	-	-	-	-
2-8239	Acryl 100% PAN	28	305	120	0	◆	7-8	350	UPF 45	115	3,9	69,6	26,5	3,9	0,09
1-8240	Acryl 100% PAN	29	300	120	20	◆	7-8	350	UPF 50+	115	19,2	33,3	47,4	19,3	0,16
1-8241	Acryl 100% PAN	29	290	120	20	◆	7-8	370	UV 95	115	3,6	62,9	32,1	5,0	0,07
2-8242	Lumera 3D 100% PAN	30	295	120	30	◆	7	500	UV 80	115	-	-	-	-	-
1-8243	Lumera 100% PAN	30	290	120	2	◆	7	460	UV 80	115	-	-	-	-	-
1-8244	Acryl 100% PAN	31	290	120	0	◆	7-8	370	UV 100	115	0,2	85,1	14,2	0,7	0,05
1-8245	Lumera 100% PAN	31	290	120	0	◆	7	460	UV 80	125	1,3	73,9	23,7	2,4	0,04
1-8246	Acryl 100% PAN	32	290	120	0	◆	7-8	370	UV 95	124	1,3	75,3	22,4	2,3	0,08
1-8247	Acryl 100% PAN	32	300	120	20	◆	7-8	350	UPF 50+	124	8,0	59,2	31,5	9,3	0,11
1-8248	Lumera 100% PAN	33	290	120	0	◆	7	460	UV 80	124	0,6	52,8	37,3	9,9	0,09
1-8249	Acryl 100% PAN	33	290	120	20	◆	7-8	370	UV 100	124	0,2	85,1	14,2	0,7	0,08
2-8250	Acryl 100% PAN	34	305	120	0	◆	7-8	350	UPF 50+	124	0,6	88,5	10,8	0,7	0,13
1-8251	Lumera 100% PAN	34	290	120	2	◆	7	460	UV 80	124	-	-	-	-	-
1-8252	Acryl 100% PAN	35	290	120	6	◆	7	370	UV 80	124	-	-	-	-	-
1-8253	Lumera 100% PAN	43	290	120	0	◆	7	460	UV 80	123	15,0	28,0	55,4	16,6	0,13
1-8254	Acryl 100% PAN	43	290	120	6	◆	7	370	UV 60	123	-	-	-	-	-
1-8256	Acryl 100% PAN	44	290	120	0	◆	7-8	370	UV 95	123	6,6	35,7	50,6	13,7	0,12
1-8258	Lumera 100% PAN	44	290	120	0	◆	7	460	UV 60	123	16,2	19,8	59,0	21,2	0,16
1-8259	Lumera 100% PAN	45	290	120	0	◆	7	460	UV 80	103	5,2	44,7	43,4	11,9	0,10
1-8260	Lumera 100% PAN	45	290	120	2	◆	7	460	UV 80	128	-	-	-	-	-
1-8261	Acryl 100% PAN	46	290	120	20	◆	7-8	370	UV 100	128	1,8	57,4	34,7	7,9	0,10
1-8263	Acryl 100% PAN	46	290	120	6	◆	7	370	UV 80	128	-	-	-	-	-
1-8264	Lumera 100% PAN	47	290	120	0	◆	7	460	UV 80	128	1,5	70,0	25,9	4,1	0,05
2-8265	Lumera 3D 100% PAN	53	295	120	30	◆	7	500	UV 80	103	-	-	-	-	-
1-8266	Acryl 100% PAN	53	290	120	30	◆	7	370	UV 40	123	-	-	-	-	-
1-8267	Acryl 100% PAN	54	290	120	24	◆	7	370	UV 60	115	-	-	-	-	-
1-8269	Acryl 100% PAN	54	290	120	24	◆	7	370	UV 60	123	-	-	-	-	-
1-8271	Lumera 100% PAN	55	290	120	0	◆	7	460	UV 80	107	13,1	31,2	51,1	17,7	0,14
2-8274	Acryl 100% PAN	55	305	120	0	◆	7-8	350	UPF 50+	107	6,7	53,7	36,7	9,6	0,11
1-8275	Acryl 100% PAN	56	290	120	6	◆	7	370	UV 80	123	-	-	-	-	-

Acryl= français - Acrylique / italiano - Acrilico / english - Acrylic

TEXTILE EIGENSCHAFTEN
















Propriétés des toiles | Proprietà del tessuto | Textile properties

No.															g tot
1-8276	Acryl 100% PAN	56	290	120	24	◆	7	370	UV 60	102	-	-	-	-	-
1-8278	Lumera 100% PAN	62	290	120	2	◆	7	460	UV 80	107	-	-	-	-	-
1-8280	Acryl 100% PAN	62	290	120	24	◆	7	370	UV 80	107	-	-	-	-	-
1-8281	Lumera 100% PAN	63	290	120	0	◆	7	460	UV 80	106	3,5	37,3	45,6	17,1	0,14
1-8283	Lumera 100% PAN	63	290	120	2	◆	7	460	UV 80	126	-	-	-	-	-
1-8284	Lumera 100% PAN	64	290	120	0	◆	7	460	UV 80	112	0,0	81,4	17,2	1,4	0,03
1-8287	Acryl 100% PAN	72	290	120	24	◆	7	370	UV 60	121	-	-	-	-	-
1-8288	Acryl 100% PAN	72	290	120	30	◆	7	370	UV 80	121	-	-	-	-	-
1-8289	Lumera 100% PAN	73	290	120	0	◆	7-8	460	UV 80	110	0,0	70,0	24,6	5,4	0,06
1-8290	Acryl 100% PAN	73	290	120	24	◆	7	460	UPF 50+	121	12,0	40,6	43,4	16,0	0,14
1-8295	Lumera 100% PAN	74	290	120	0	◆	7	460	UV 80	116	2,9	54,6	36,3	9,1	0,08
1-8296	Lumera 100% PAN	74	290	120	0	◆	7	460	UV 80	116	2,6	57,7	33,8	8,5	0,08
1-8297	Acryl 100% PAN	75	290	120	24	◆	7	370	UV 80	124	-	-	-	-	-
1-8299	Acryl 100% PAN	75	300	120	20	◆	7-8	350	UPF 45	125	17,1	30,4	51,2	18,4	0,15
1-8560	Acryl 100% PAN	18	310	120	0	◆	7-8	>350	UPF 25	115	6	59	34	7	0,10
1-8561	Acryl 100% PAN	35	310	120	0	◆	7-8	>350	UPF 50	115	4	76	20	4	0,09
1-8562	Acryl 100% PAN	47	310	120	0	◆	7-8	>350	UPF 10	109	18	24	56	20	0,25
1-8563	Acryl 100% PAN	48	310	120	0	◆	7-8	>350	UPF 50	103	6	49	41	10	0,19
1-8564	Acryl 100% PAN	57	310	120	0	◆	7-8	>350	UPF 50	107	15	25	55	20	0,15
1-8565	Acryl 100% PAN	64	310	120	0	◆	7-8	>350	UPF 50+	106	5	36	48	16	0,14
1-8566	Acryl 100% PAN	65	310	120	0	◆	7-8	>350	UPF 50+	105	2	45	43	13	0,12
1-8567	Acryl 100% PAN	65	310	120	0	◆	7-8	>350	UPF 50	112	3	69	27	4	0,09
1-8568	Acryl 100% PAN	76	310	120	0	◆	7-8	>350	UPF 50	116	7	44	43	13	0,12
1-8569	Acryl 100% PAN	76	310	120	0	◆	7-8	>350	UPF 50	120	3	75	21	4	0,09
1-8570	Acryl 100% PAN	77	310	120	0	◆	7-8	>350	UPF 50	121	3	72	24	4	0,09
1-8571	Acryl 100% PAN	36	310	120	0	◆	7-8	>350	UPF 50	124	3	82	15	3	0,09
1-8572	Acryl 100% PAN	48	290	120	24	◆	> 7	370	min. 97,5	103	-	-	-	-	-
1-8573	Acryl 100% PAN	18	290	120	24	◆	> 7	370	min. 97,5	115	-	-	-	-	-
1-8574	Acryl 100% PAN	19	290	120	24	◆	> 7	370	min. 97,5	115	-	-	-	-	-
1-8575	Acryl 100% PAN	36	290	120	0	◆	> 7	370	min. 97,5	124	-	-	-	-	-
1-8576	Acryl 100% PAN	19	290	120	0	◆	> 7	370	min. 97,5	115	-	-	-	-	-
1-8577	Acryl 100% PAN	20	290	120	0	◆	> 7	370	min. 97,5	109	-	-	-	-	-
1-8578	Acryl 100% PAN	77	290	120	0	◆	> 7	370	min. 97,5	120	-	-	-	-	-

Acryl= français - Acrylique | italiano - Acrilico | english - Acrylic

TEXTILE EIGENSCHAFTEN

Propriétés des toiles | Proprietà del tessuto | Textile properties

No.															
1-8579	Acryl 100% PAN	66	290	120	0	◆	> 7	370	min. 97,5	112	-	-	-	-	-
1-8580	Acryl 100% PAN	66	290	120	0	◆	> 7	370	min. 97,5	105	-	-	-	-	-
1-8581	Acryl 100% PAN	57	290	120	0	◆	> 7	370	min. 97,5	107	-	-	-	-	-

Acryl= français - Acrylique | italiano - Acrilico | english - Acrylic